

研 究 目 錄

慶應義塾大学 理工学部 応用化学科 天然物有機化学研究室
中田雅也

1 著書

- 1) M. Nakata and K. Tatsuta,
"A New Tandem Process and Its Application to the Synthesis of Macrolide Antibiotics",
In "Studies in Natural Products Chemistry", ed by Atta-ur-Rahman, Elsevier, **1993**, 12,
35-62.
- 2) 中田雅也,
日本化学会編 季刊化学総説 2000年、45号「天然物の全合成 -今日、明日そして
未来へ-」学会出版センター、編集者 竜田邦明、北原武、福山透、
担当天然物 : AB3217-A (p. 1)、Herbimycin A (pp. 106-107)、Rifamycin W (pp.
200-201).
- 3) K. Hashimoto, T. Okuno, M. Nakata, and H. Shirahama,
"Chemistry of alternariolide (AM-toxin I) and its analogs, a host-specific phytotoxin",
In "Current Topics in Phytochemistry", **2000**, 3, 1-37.
- 4) M. Nakata,
"Formation of Complex Natural Compounds from Monosaccharides",
In "Glycoscience: Chemistry and Chemical Biology I-III", ed by B. Fraser-Reid, K. Tatsuta,
and J. Thiem: Springer, Berlin / Heidelberg, **2001**, Vol 2, Chapter 4.5, pp. 1175-1213.
- 5) 中田雅也,
訳本 (共訳) 2003年3月 「マーチ有機化学」 丸善、監訳者 山本嘉則、
担当頁 : pp. 157-268 (5章~9章) .
- 6) 中田雅也,
2005年10月 「不思議な生物現象の化学」 クバプロ、編集者 上村大輔、
担当項目 : 「カバの赤い汗の謎」 pp. 190-196.
- 7) M. Nakata,
"1,3-Dithianes",
In "Science of Synthesis", ed by J. Otera: Thieme, Stuttgart, **2007**, Vol 30, Chapter 30.3.4,
pp. 351-434.
- 8) M. Nakata,
"1,3-Dithiepanes",
In "Science of Synthesis", ed by J. Otera: Thieme, Stuttgart, **2007**, Vol 30, Chapter 30.3.5,
pp. 435-446.
- 9) M. Nakata,
"Formation of Complex Natural Compounds from Monosaccharides",

In “*Glycoscience: Chemistry and Chemical Biology I-III*”, ed by B. Fraser-Reid, K. Tatsuta, J. Thiem, G. L. Coté, S. Flitsch, Y. Itoh, H. Kondo, S.-i. Nishimura, and B. Yu: Springer, Berlin / Heidelberg, **2008**, Vol 2, Chapter 4.5, pp. 1175-1213.

10) 中田雅也,

有機合成化学協会編 2009 年、6 月 「天然物の全合成：2000–2008（日本）」 化学同人、編集者 菅敏幸、林雄二郎、横島聰、
担当天然物 : Methyl Sarcophytoate (pp. 139–141)、Siomycin A (pp. 206–209).

11) 市毛孝弘、中田雅也,

有機合成化学協会編 2011 年、10 月 「天然物合成で活躍した反応 –実験のコツとポイント」 化学同人、編集者 菅敏幸、林雄二郎、
担当反応 : 根岸カルボメタル化 (pp. 18–19)、オルトエステル化によるカルボン酸の保護 (pp. 174–175).

2 原著論文

- 1) M. Kinoshita, K. Tatsuta, and M. Nakata,
"A Novel Degradation of Rifamycin: Isolation of the New Ansa Chain Derivative from Rifampicin",
The Journal of Antibiotics **1978**, *31*, 630-631.
- 2) M. Nakata, Y. Ikeyama, H. Takao, and M. Kinoshita,
"Synthetic Studies of Rifamycins. II. Syntheses of Methyl 2,4,6,7-Tetra-deoxy-4-C-methyl-3-O-methyl- α -L-arabino-heptopyranosid-6-ulose and Its Derivatives Utilizable in the Construction of the Rifamycin Ansa Chain Portion",
Bulletin of the Chemical Society of Japan **1980**, *53*, 3252-3258.
- 3) M. Nakata, T. Sakai, K. Tatsuta, and M. Kinoshita,
"Synthetic Studies of Rifamycins. III. The Partial Synthesis of Rifamycin Ansa-chain Compounds from Their Degradation Products",
Bulletin of the Chemical Society of Japan **1981**, *54*, 1743-1748.
- 4) M. Nakata, H. Takao, Y. Ikeyama, T. Sakai, K. Tatsuta, and M. Kinoshita,
"Synthetic Studies of Rifamycins. IV. The Synthesis of Rifamycin Ansa-chain Compound Using Carbohydrate",
Bulletin of the Chemical Society of Japan **1981**, *54*, 1749-1756.
- 5) M. Nakata, H. Enari, and M. Kinoshita,
"Synthetic Studies of Rifamycins. V. A Chiral Synthesis of an Ansa-chain Compound for the C17-C29 Portion of Rifamycin W",
Bulletin of the Chemical Society of Japan **1982**, *55*, 3283-3296.
- 6) M. Nakata, M. Kinoshita, S. Ohba, and Y. Saito,
"Synthetic Studies of Rifamycins. VI. Preparation and Elaboration of the Aromatic Segment for the Synthesis of Rifamycin W",
Tetrahedron Letters **1984**, *25*, 1373-1376.
- 7) M. Nakata, S. Wada, K. Tatsuta, and M. Kinoshita,
"Synthetic Studies of Rifamycins. VII. A Facile Synthesis of the Aromatic Chromophore of Rifamycin S through a Rifamycin W Aromatic Segment",
Bulletin of the Chemical Society of Japan **1985**, *58*, 1801-1806.
- 8) M. Nakata, K. Toshima, T. Kai, and M. Kinoshita,
"Synthetic Studies of Rifamycins. VIII. An Improved Practical Synthesis of the Ansa-chain Compounds for the Rifamycin W Synthesis",
Bulletin of the Chemical Society of Japan **1985**, *58*, 3457-3464.
- 9) M. Kinoshita, M. Arai, K. Tomooka, and M. Nakata,
"Synthetic Studies of Erythromycins. II. Enantiospecific Synthesis of a C10-C13 Segment of Erythronolide A from D-Ribose",
Tetrahedron Letters **1986**, *27*, 1811-1814.
- 10) M. Kinoshita, M. Arai, N. Ohsawa, and M. Nakata,

- "Synthetic Studies of Erythromycins. III. Total synthesis of Erythronolide A through (9S)-9-Dihydroerythronolide A",
Tetrahedron Letters **1986**, *27*, 1815-1818.
- 11) M. Nakata, M. Arai, K. Tomooka, N. Ohsawa, and M. Kinoshita,
"Total Synthesis of Erythronolide A",
Bulletin of the Chemical Society of Japan **1989**, *62*, 2618-2635.
- 12) R. W. Armstrong, J.-M. Beau, S. H. Cheon, W. J. Christ, H. Fujioka, W.-H. Ham, L. D. Hawkins, H. Jin, S. H. Kang, Y. Kishi, M. J. Martinelli, W. W. McWhorter, M. Mizuno, M. Nakata, A. E. Stutz, F. X. Talamas, M. Taniguchi, J. A. Tino, K. Ueda, J. Uenishi, J. B. White, and M. Yonaga,
"Total Synthesis of a Fully Protected Palytoxin Carboxylic Acid",
Journal of the American Chemical Society **1989**, *111*, 7525-7530.
- 13) R. W. Armstrong, J.-M. Beau, S. H. Cheon, W. J. Christ, H. Fujioka, W.-H. Ham, L. D. Hawkins, H. Jin, S. H. Kang, Y. Kishi, M. J. Martinelli, W. W. McWhorter, M. Mizuno, M. Nakata, A. E. Stutz, F. X. Talamas, M. Taniguchi, J. A. Tino, K. Ueda, J. Uenishi, J. B. White, and M. Yonaga,
"Total Synthesis of Palytoxin Carboxilic Acid and Palytoxin Amide",
Journal of the American Chemical Society **1989**, *111*, 7530-7533.
- 14) M. Kinoshita, M. Nakata, K. Takarada, and K. Tatsuta,
"Total Synthesis of Pyridomycin",
Tetrahedron Letters **1989**, *30*, 7419-7422.
- 15) K. Tatsuta, Y. Niwata, K. Umezawa, K. Toshima, and M. Nakata,
"Enantiospecific Total Synthesis of a β -Glucosidase Inhibitor, Cyclophellitol",
Tetrahedron Letters **1990**, *31*, 1171-1172.
- 16) M. Nakata, N. Akiyama, K. Kojima, H. Masuda, M. Kinoshita, and K. Tatsuta,
"Total Synthesis of Rifamycin W",
Tetrahedron Letters **1990**, *31*, 1585-1588.
- 17) M. Nakata, N. Akiyama, J. Kamata, K. Kojima, H. Masuda, M. Kinoshita, and K. Tatsuta,
"The Total Synthesis of Rifamycin W",
Tetrahedron **1990**, *46*, 4629-4652.
- 18) K. Tatsuta, Y. Niwata, K. Umezawa, K. Toshima, and M. Nakata,
"Enantiospecific Synthesis and Biological Evaluation of 1,6-*epi*-Cyclophellitol",
The Journal of Antibiotics **1991**, *44*, 456-458.
- 19) K. Tatsuta, H. Ozeki, M. Yamaguchi, M. Tanaka, T. Okui, and M. Nakata,
"Total Synthesis and Biological Evaluation of Unnatural (-)-Medermycin [(-)-Lactoquinomycin]",
The Journal of Antibiotics **1991**, *44*, 901-902.
- 20) K. Tatsuta, Y. Niwata, K. Umezawa, K. Toshima, and M. Nakata,
"Syntheses and Enzyme Inhibiting Activities of Cyclophellitol Analogs",
The Journal of Antibiotics **1991**, *44*, 912-914.

- 21) M. Nakata, S. Akazawa, S. Kitamura, and K. Tatsuta,
"Enantiospecific Total Synthesis of (-)-Allosamizoline, an Aminocyclitol Moiety of the Insect Chitinase Inhibitor Allosamidin",
Tetrahedron Letters **1991**, 32, 5363-5366.
- 22) M. Nakata, T. Osumi, A. Ueno, T. Kimura, T. Tamai, and K. Tatsuta,
"Total Synthesis of Herbimycin A",
Tetrahedron Letters **1991**, 32, 6015-6018.
- 23) K. Tatsuta, Y. Niwata, K. Umezawa, K. Toshima, and M. Nakata,
"Total Syntheses of Glucosidase Inhibitors, Cyclophellitols",
Carbohydrate Research **1991**, 222, 189-203.
- 24) K. Toshima, K. Ohta, A. Ohashi, A. Ohtsuka, M. Nakata, and K. Tatsuta,
"Design and Synthesis of 1-Thia-3,8-diyn-5-ene Systems with DNA-cleaving Properties related to the Neocarzinostatin Chromophore",
Journal of Chemical Society, Chemical Communications **1992**, 1306-1308.
- 25) M. Nakata, T. Osumi, A. Ueno, T. Kimura, T. Tamai, and K. Tatsuta,
"The Total Synthesis of Herbimycin A",
Bulletin of the Chemical Society of Japan **1992**, 65, 2974-2991.
- 26) K. Toshima, G. Matsuo, T. Ishizuka, M. Nakata, and M. Kinoshita,
"C-Arylglycosylation of Unprotected Free Sugar",
Journal of Chemical Society, Chemical Communications **1992**, 22, 1641-1642.
- 27) K. Toshima, Y. Nozaki, H. Inokuchi, M. Nakata, K. Tatsuta, and M. Kinoshita,
"A New Entry for the Controlled Synthesis of 2,6-Dideoxy Oligosaccharides",
Tetrahedron Letters **1993**, 34, 1611-1614.
- 28) K. Toshima, T. Ishizuka, G. Matsuo, M. Nakata, and M. Kinoshita,
"Glycosidation of Glycals by 2,3-Dichloro-5,6-dicyano-*p*-benzoquinone (DDQ) as a Catalytic Promoter",
Journal of Chemical Society, Chemical Communications **1993**, 704-706.
- 29) M. Nakata, T. Tamai, Y. Miura, M. Kinoshita, and K. Tatsuta,
"Synthetic Studies of Erythromycin Derivatives. Syntheses and Antimicrobial Activities of 3"-*epi*-Erythromycin A and (9S)-11-Dehydroxy-9-deoxy-9-hydroxy- 11-oxoerythromycin A",
The Journal of Antibiotics **1993**, 46, 813-826.
- 30) K. Tatsuta, M. Chino, N. Kojima, S. Shinojima, M. Nakata, M. Morooka, and S. Ohba,
"Synthesis and Characterization of a 14-Membered Polyketide Lactone",
Tetrahedron Letters **1993**, 34, 4957-4960.
- 31) K. Tatsuta, N. Kojima, M. Chino, S. Kawazoe, and M. Nakata,
"Synthetic Studies on Naphthopyrans from a Polyketide Lactone",
Tetrahedron Letters **1993**, 34, 4961-4964.
- 32) K. Toshima, Y. Nozaki, M. Nakata, K. Tatsuta, and M. Kinoshita,
"Total Synthesis of the Trisaccharide of Olivomycin A",

- Tetrahedron Letters* **1993**, *34*, 5761-5764.
- 33) M. Nakata, S. Kawazoe, T. Tamai, K. Tatsuta, H. Ishiwata, Y. Takahashi, Y. Okuno, and T. Deushi,
"Regioselective Oxidation of β -Hydroxyazo Compounds to α -Hydroxyazoxy Compounds and Its Application to Syntheses of Maniwamycins A and B",
Tetrahedron Letters **1993**, *34*, 6095-6098.
- 34) K. Toshima, K. Ohta, A. Ohtsuka, S. Matsumura, and M. Nakata,
"Cycloaromatization and DNA Cleavage of Novel Enyne-allene Systems",
Journal of Chemical Society, Chemical Communications **1993**, 1406-1407.
- 35) K. Toshima, K. Ohta, A. Ohashi, T. Nakamura, M. Nakata, and S. Matsumura,
"Design, Synthesis and DNA Cleaving Profiles of Hybrids Containing the Novel Enediyne and Naturally Occurring DNA Intercalators,
Journal of Chemical Society, Chemical Communications **1993**, 1525-1527.
- 36) M. Nakata, J. Ohashi, K. Ohsawa, T. Nishimura, M. Kinoshita, and K. Tatsuta,
"Synthetic Studies of Venturicidins. Synthesis of the C1-C14 Segment of Venturicidins",
Bulletin of the Chemical Society of Japan **1993**, *66*, 3464-3474.
- 37) M. Nakata, C. Chong, Y. Niwata, K. Toshima, and K. Tatsuta,
"A Family of Cyclophellitol Analogs: Synthesis and Evaluation",
The Journal of Antibiotics **1993**, *46*, 1919-1922.
- 38) K. Toshima, T. Ishizuka, G. Matsuo, and M. Nakata,
"Allyl C-Glycosidation of Glycals Mediated by 2,3-Dichloro-5,6-dicyano-*p*-benzoquinone (DDQ)",
Chemistry Letters **1993**, 2013-2016.
- 39) M. Nakata, T. Ishiyama, Y. Hirose, H. Maruoka, and K. Tatsuta,
"Synthetic Studies on Oligomycins. Enantiospecific Synthesis of the Oligomycin B Spiroketal Portion and Establishment of the Absolute Stereochemistry of Oligomycin B",
Tetrahedron Letters **1993**, *34*, 8439-8442.
- 40) M. Nakata, M. Yasuda, S. Suzuki, and S. Ohba,
"The Intermolecular Diels-Alder Reaction of a 14-membered Diene-Dienophile Pair",
Synlett **1994**, 71-74.
- 41) K. Toshima, K. Yanagawa, K. Ohta, T. Kano, and M. Nakata,
"A Novel Monocyclic Dienediyne System: Synthesis and Mode of Aromatization",
Tetrahedron Letters **1994**, *35*, 1573-1576.
- 42) M. Nakata, T. Tamai, T. Kamio, M. Kinoshita, and K. Tatsuta,
"Total Synthesis of AB3217-A, a Novel Anti-mite Substance, via Intramolecular Glycosylation",
Tetrahedron Letters **1994**, *35*, 3099-3102.
- 43) K. Toshima, G. Matsuo, and M. Nakata,
"An Improved Practical Method for Synthesis of Aryl C-glycosides from Unprotected Methyl Glycosides and 1-Hydroxy Sugars",

- Journal of Chemical Society, Chemical Communications* **1994**, 997-998.
- 44) M. Nakata, M. Yasuda, and J. Kawakita,
"Effect of Methyl Substituents on the Double Bond Involved in the Formation of Tetrahydropyrans from Hydroxy Allylic Acetates",
Bulletin of the Chemical Society of Japan **1994**, 67, 2607-2610.
- 45) K. Toshima, T. Ishizuka, G. Matsuo, and M. Nakata,
"Allyl C-Glycosidations of Totally Unprotected Glycals and Allyltrimethylsilane with trimethylsilyl Trifluoromethanesulfonate (TMSOTf)",
Tetrahedron Letters **1994**, 35, 5673-5676.
- 46) K. Toshima, S. Mukaiyama, Y. Nozaki, H. Inokuchi, M. Nakata, and K. Tatsuta,
"Novel Glycosidation Method Using 2,6-Anhydro-2-thio Sugars for Stereocontrolled Synthesis of 2,6-Dideoxy- α - and - β -glycosides",
Journal of the American Chemical Society **1994**, 116, 9042-9051.
- 47) M. Nakata, T. Ishiyama, S. Akamatsu, R. Suzuki, and K. Tatsuta,
"Synthetic Studies on Oligomycins. Synthesis of the Oligomycin B Polypropionate Portion",
Synlett **1994**, 601-604.
- 48) K. Toshima, K. Ohta, T. Kano, T. Nakamura, M. Nakata, and S. Matsumura,
"Design, Cycloaromatization and Guanine-selective DNA Cleavage of Novel Enediynes",
Journal of Chemical Society, Chemical Communications **1994**, 2295-2296.
- 49) M. Nakata, T. Tamai, T. Kamio, M. Kinoshita, and K. Tatsuta,
"The Total Synthesis of AB3217-A, a Novel Anti-mite Substance, via Intermolecular Etherification and Intramolecular Glycosylation",
Bulletin of the Chemical Society of Japan **1994**, 67, 3057-3066.
- 50) M. Nakata, T. Ishiyama, S. Akamatsu, Y. Hirose, H. Maruoka, R. Suzuki, and K. Tatsuta,
"Synthetic Studies on Oligomycins. Synthesis of the Oligomycin B Spiroketal and Polypropionate Portions",
Bulletin of the Chemical Society of Japan **1995**, 68, 967-989.
- 51) K. Toshima, Y. Nozaki, S. Mukaiyama, T. Tamai, M. Nakata, K. Tatsuta, and M. Kinoshita,
"Application of Highly Stereocontrolled Glycosidations Employing 2,6-Anhydro-2-thio Sugars to the Syntheses of Erythromycin A and Olivomycin A Trisaccharide",
Journal of the American Chemical Society **1995**, 117, 3717-3727.
- 52) K. Toshima, T. Ishizuka, G. Matsuo, and M. Nakata,
"Practical Glycosidation Method of Glycals Using Montmorillonite K-10 as an Environmentally Acceptable and Inexpensive Industrial Catalyst",
Synlett **1995**, 306-308.
- 53) K. Toshima, K. Ohta, A. Ohashi, T. Nakamura, M. Nakata, K. Tatsuta, and S. Matsumura,
"Molecular Design, Chemical Synthesis, and Study of Novel Enediyne-Sulfide Systems Related to the Neocarzinostatin Chromophore",
Journal of the American Chemical Society **1995**, 117, 4822-4831.

- 54) K. Toshima, K. Ohta, K. Yanagawa, T. Kano, M. Nakata, M. Kinoshita, and S. Matsumura, "Novel Dienediyne Systems Related to the Neocarzinostatin Chromophore: Molecular Design, Chemical Synthesis, and Evaluation", *Journal of the American Chemical Society* **1995**, *117*, 10825-10831.
- 55) K. Toshima, K. Ohta, T. Kano, T. Nakamura, M. Nakata, M. Kinoshita, and S. Matsumura, "Novel Designed Enediynes: Molecular Design, Chemical Synthesis, Mode of Cycloaromatization and Guanine-specific DNA Cleavage", *Bioorganic and Medicinal Chemistry* **1996**, *4*, 105-113.
- 56) G. Matsuo, Y. Miki, M. Nakata, S. Matsumura, and K. Toshima, "Total Synthesis of Urdamycinone B via C-Glycosidation of an Unprotected Sugar and Diels-Alder Reaction of C-Glycosyl Juglone", *Chemical Communications* **1996**, 225-226.
- 57) K. Toshima, T. Jyojima, H. Yamaguchi, H. Murase, T. Yoshida, S. Matsumura, and M. Nakata, "Total Synthesis of Bafilomycin A1-I. Synthesis of the C5-C11, C12-C17, and C18-C25 Segments", *Tetrahedron Letters* **1996**, *37*, 1069-1072.
- 58) K. Toshima, H. Yamaguchi, T. Jyojima, Y. Noguchi, M. Nakata, and S. Matsumura, "Total Synthesis of Bafilomycin A1-II. The Assemblage and Completion of the Synthesis", *Tetrahedron Letters* **1996**, *37*, 1073-1076.
- 59) K. Ohba, M. Matsuda, and M. Nakata, "3,4,5-Trihydroxy-7-oxa and -7-azabicyclo[4.1.0]heptane-2-carboxylic Acids: Synthesis and Evaluation as Glycosidase Inhibitors", *Carbohydrate Letters* **1996**, *1*, 449-456.
- 60) K. Toshima, N. Miyamoto, G. Matsuo, M. Nakata, and S. Matsumura, "Environmentally Compatible C-Glycosidation of Glycals Using Montmorillonite K-10", *Chemical Communications* **1996**, 1379-1380.
- 61) K. Ohba, K. Suzuki, and M. Nakata, "An Improved Practical Synthesis of Cyclophellitol and (1*R*,6*S*)-Cyclophellitol from D-Glucose by Samarium Diiodide Promoted Reductive Coupling", *Carbohydrate Letters* **1996**, *2*, 175-181.
- 62) K. Toshima, T. Jyojima, H. Yamaguchi, Y. Noguchi, T. Yoshida, H. Murase, M. Nakata, and S. Matsumura, "Total Synthesis of Bafilomycin A1", *The Journal of Organic Chemistry* **1997**, *62*, 3271-3284.
- 63) K. Toshima, K. Inagaki, M. Nakata, and S. Matsumura, "Novel C-3 Epimerization of Digitoxosides to Olivosides Under Hydrogenolysis Conditions", *Synlett* **1997**, 695-696.
- 64) M. Yasuda, M. Ide, Y. Matsumoto, and M. Nakata, "Enantiospecific Synthesis of the 14-Membered Diene Unit of Methyl Sarcophytoate",

- Synlett* **1997**, 899-902.
- 65) K. Toshima, G. Matsuo, T. Ishizuka, Y. Ushiki, M. Nakata, and S. Matsumura, “Aryl and Allyl C-Glycosidation Methods Using Unprotected Sugars”, *The Journal of Organic Chemistry* **1998**, *63*, 2307-2313.
- 66) T. Terauchi and M. Nakata, “Synthetic Studies on Altohyrtins (Spongistatins): Synthesis of the C1-C14 (AB) Spiroacetal Portion”, *Tetrahedron Letters* **1998**, *39*, 3795-3798.
- 67) M. Yasuda, M. Ide, Y. Matsumoto, and M. Nakata, “Synthetic Studies on Biscembranoids. Asymmetric Total Synthesis of the 14-Membered Diene Unit of Methyl Sarcophytoate”, *Bulletin of the Chemical Society of Japan* **1998**, *71*, 1417-1429.
- 68) T. Jyojima, M. Katohno, N. Miyamoto, M. Nakata, S. Matsumura, and K. Toshima, “Synthetic Studies on Concanamycin A: Synthesis of the C5-C13 and C20-C28 Segments”, *Tetrahedron Letters* **1998**, *39*, 6003-6006.
- 69) T. Jyojima, N. Miyamoto, M. Katohno, M. Nakata, S. Matsumura, and K. Toshima, “Synthetic Studies on Concanamycin A: Total Synthesis of Concananolide A (Concanamycin F)”, *Tetrahedron Letters* **1998**, *39*, 6007-6010.
- 70) M. Ide, M. Yasuda, and M. Nakata, “Generation of 2-Substituted-2-metalloc-1,3-dithianes and Their Coupling with 1,2-Disubstituted Epoxides at Room Temperature”, *Synlett* **1998**, 936-938.
- 71) A. Tomatsu, S. Takemura, K. Hashimoto, and M. Nakata, “Synthesis of Quinones from Hydroquinone Dimethyl Ethers. Oxidative Demethylation with Cobalt(III) Fluoride”, *Synlett* **1999**, 1474-1476.
- 72) G. Matsuo, Y. Miki, M. Nakata, S. Matsumura, and K. Toshima, “Total Synthesis of C-Glycosyl Angucycline, Urdamycinone B, Using an Unprotected Sugar”, *The Journal of Organic Chemistry* **1999**, *64*, 7101-7106.
- 73) S. Takemura, A. Hirayama, J. Tokunaga, F. Kawamura, K. Inagaki, K. Hashimoto, and M. Nakata, “A concise total synthesis of (\pm)-A80915G, a member of the napyradiomycin family of antibiotics”, *Tetrahedron Letters* **1999**, *40*, 7501-7505.
- 74) M. Ide and M. Nakata, “Room-Temperature Metallation of 2-Substituted 1,3-Dithiane Derivatives and Subsequent Coupling with 2,3-Disubstituted Oxiranes”, *Bulletin of the Chemical Society of Japan* **1999**, *72*, 2491-2499.

- 75) M. Ide, K. Tsunashima, and M. Nakata,
“Practical Synthesis of Four Stereoisomers of
6-(*t*-Butyldiphenylsiloxy)-3,5-dimethyl-1-(triphenylmethoxy)hexane-2,4-diol via Dithiane
Coupling with Oxirane”,
Bulletin of the Chemical Society of Japan **1999**, 72, 2501-2507.
- 76) T. Terauchi, T. Terauchi, I. Sato, T. Tsukada, N. Kanoh, and M. Nakata,
“Synthetic studies on altohyrtins (spongistatins): synthesis of the C15-C28 (CD) spiroacetal
portion”,
Tetrahedron Letters **2000**, 41, 2649-2653.
- 77) S. Higashibayashi, K. Shinko, T. Ishizu, K. Hashimoto, H. Shirahama, and M. Nakata,
“Selective Deprotection of *t*-Butyldiphenylsilyl Ethers in the presence of *t*-Butyldimethylsilyl
Ethers by Tetrabutylammonium Fluoride, Acetic Acid, and Water”,
Synlett **2000**, 1306-1308.
- 78) Y. Saikawa, T. Watanabe, K. Hashimoto, and M. Nakata,
“Absolute configuration and tautomeric structure of xylindein, a blue-green pigment of
Chlorociboria species”,
Phytochemistry **2000**, 55, 237-240.
- 79) K. Toshima, T. Jyojima, N. Miyamoto, M. Katohno, M. Nakata, and S. Matsumura,
“The First Total Synthesis of Concanamycin F (Concanolide A)”,
The Journal of Organic Chemistry **2001**, 66, 1708-1715.
- 80) K. Tsunashima, M. Ide, H. Kadoi, A. Hirayama, and M. Nakata,
“Synthesis of the C15-C27 portion of venturicidins: a formal total synthesis of venturicidin
X”,
Tetrahedron Letters **2001**, 42, 3607-3611.
- 81) T. Terauchi, M. Morita, K. Kimijima, Y. Nakamura, G. Hayashi, T. Tanaka, N. Kanoh, and
M. Nakata,
“Synthetic studies on altohyrtins (spongistatins): synthesis of the C29-C44 (EF) portion”,
Tetrahedron Letters **2001**, 42, 5505-5508.
- 82) Y. Saikawa, H. Okamoto, T. Inui, M. Makabe, T. Okuno, T. Suda, K. Hashimoto, and M.
Nakata,
“Toxic principles of a poisonous mushroom *Podostroma cornu-damae*”,
Tetrahedron **2001**, 57, 8277-8281.
- 83) M. Ide and M. Nakata,
“Stereoselective Synthesis of Tri- and Tetrasubstituted α,β -Unsaturated Esters via
Copper-catalyzed Coupling of Enol Triflates of β -Ketoesters with Grignard-based Zinc Ate
Complexes”,
Synlett **2001**, 1511-1515.
- 84) S. Higashibayashi, K. Hashimoto, and M. Nakata,
“Synthetic studies on the thiostrepton family of peptide antibiotics: synthesis of the
tetrasubstituted dehydropiperidine and piperidine cores”,

- Tetrahedron Letters* **2002**, *43*, 105-110.
- 85) S. Higashibayashi, T. Mori, K. Shinko, K. Hashimoto, and M. Nakata, "Synthetic studies on the thiostrepton family of peptide antibiotics: synthesis of the tetrasubstituted dihydroquinoline portion of siomycin D₁", *Heterocycles* **2002**, *57*, 111-122.
- 86) H.-J. Zhang, P. A. Tamez, Z. Aydogmus, G. T. Tan, Y. Saikawa, K. Hashimoto, M. Nakata, N. V. Hung, L. T. Xuan, N. M. Cuong, D. D. Soejarto, J. M. Pezzuto, and H. H. S. Fong, "Antimalarial Agents from Plants. III. Trichothecenes from *Ficus fistulosa* and *Rhaphidophora decursiva*", *Planta Medica* **2002**, *68*, 1088-1091.
- 87) N. Kanoh, A. Tomatsu, T. Nishikawa, M. Ide, T. Tsuchida, K. Isshiki, and M. Nakata, "Practical deracemization of NM-3, a synthetic angiogenesis inhibitor", *Tetrahedron: Asymmetry* **2003**, *14*, 1251-1253.
- 88) T. Terauchi, T. Terauchi, I. Sato, W. Shoji, T. Tsukada, T. Tsunoda, N. Kanoh, and M. Nakata, "Formal total synthesis of altohyrtin C (spongistatin 2). Part 1: Aldol approach to unite AB and CD spiroacetals", *Tetrahedron Letters* **2003**, *44*, 7741-7745.
- 89) T. Terauchi, T. Tanaka, T. Terauchi, M. Morita, K. Kimijima, I. Sato, W. Shoji, Y. Nakamura, T. Tsukada, T. Tsunoda, G. Hayashi, N. Kanoh, and M. Nakata, "Formal total synthesis of altohyrtin C (spongistatin 2). Part 2: Construction of fully elaborated ABCD and EF fragments", *Tetrahedron Letters* **2003**, *44*, 7747-7751.
- 90) S. Higashibayashi, H. Tohmiya, T. Mori, K. Hashimoto, and M. Nakata, "Synthesis of Sulfinimines by direct Condensation of Sulfinamides with Aldehydes Using Cs₂CO₃ as an Activating and Dehydrating Reagent", *Synlett* **2004**, 457-460.
- 91) S. Higashibayashi, M. Kohno, T. Goto, K. Suzuki, T. Mori, K. Hashimoto, and M. Nakata, "Synthetic studies on thiostrepton family of peptide antibiotics: synthesis of the pentapeptide segment containing dihydroxyisoleucine, thiazoline and dehydroamino acid", *Tetrahedron Letters* **2004**, *45*, 3707-3712.
- 92) Y. Saikawa, K. Hashimoto, M. Nakata, M. Yoshihara, K. Nagai, M. Ida, T. Komiya, "The red sweat of the hippopotamus", *Nature* **2004**, *429*, 363.
- 93) T. Ichige, A. Miyake, N. Kanoh, and M. Nakata, "Oxidative Deprotection of 1,3-Dithiane Group Using NaClO₂ and NaH₂PO₄ in Aqueous Methanol", *Synlett* **2004**, 1686-1690.
- 94) T. Ichige, S. Kamimura, K. Mayumi, Y. Sakamoto, S. Terashita, E. Ohteki, N. Kanoh, and M. Nakata,

- “Synthetic studies on biscembronoids: asymmetric total synthesis of methyl sarcoate”,
Tetrahedron Letters **2005**, *46*, 1263-1267.
- 95) T. Mori, Y. Satouchi, H. Tohmiya, S. Higashibayashi, K. Hashimoto, and M. Nakata,
“Synthetic studies on thiostrepton family of peptide antibiotics: synthesis of the dihydroquinoline portion of thiostrepton, the siomycins, and the thiopeptins”,
Tetrahedron Letters **2005**, *46*, 6417-6422.
- 96) T. Mori, H. Tohmiya, Y. Satouchi, S. Higashibayashi, K. Hashimoto, and M. Nakata,
“Synthetic studies on thiostrepton family of peptide antibiotics: synthesis of the cyclic core portion containing the dehydropiperidine, dihydroquinoline, L-valine, and masked dehydroalanine segments”,
Tetrahedron Letters **2005**, *46*, 6423-6427.
- 97) Y. Saikawa, K. Moriya, K. Hashimoto, and M. Nakata,
“Synthesis of hipposudoric and norhipposudoric acids: the pigments responsible for the color reaction of the red sweat of *Hippopotamus amphibius*”,
Tetrahedron Letters **2006**, *47*, 2535-2538.
- 98) T Ichige, D. Matsuda, and M. Nakata,
“Stereoselective synthesis of (*E*)- and (*Z*)-3-hydroxy-2-methyl-1-alkenyl iodides by base-promoted ring-opening of iodomethylated epoxides”,
Tetrahedron Letters **2006**, *47*, 4843–4848.
- 99) M. Watanabe, K. Tanaka, Y. Saikawa, and M. Nakata,
“Application of intramolecular Dötz reaction to the synthesis of ansa-compounds: concise synthesis of arnebinol”,
Tetrahedron Letters **2007**, *48*, 203–206.
- 100) T. Mori, M. Miyagi, K. Suzuki, M. Shibasaki, Y. Saikawa, and M. Nakata,
“SYNTHETIC STUDIES ON CHLOROFUSIN: SYNTHESIS OF THE CYCLIC PEPTIDE PORTION”,
Heterocycles **2007**, *72*, 275–291.
- 101) T. Mori, S. Higashibayashi, T. Goto, M. Kohno, Y. Satouchi, K. Shinko, K. Suzuki, S. Suzuki, H. Tohmiya, K. Hashimoto, and M. Nakata,
“Total synthesis of siomycin A”,
Tetrahedron Letters **2007**, *48*, 1331–1335.
- 102) M. Matsuura, M. Yamada, Y. Saikawa, K. Miyairi, T. Okuno, K. Konno, J. Uenishi, K. Hashimoto, and M. Nakata,
“Bolevenine, a toxic protein from the Japanese toadstool *Boletus venenatus*”,
Phytochemistry **2007**, *68*, 893–898.
- 103) K. Hashimoto, Y. Saikawa, and M. Nakata,
“Studies on the red sweat of the *Hippopotamus amphibius*”,
Pure and Applied Chemistry **2007**, *79*, 507–517.
- 104) T. Ichige, Y. Okano, N. Kanoh, and M. Nakata,
“Total Synthesis of Methyl Sarcophytoate”,

Journal of the American Chemical Society **2007**, *129*, 9862–9863.

- 105) T. Mori, S. Higashibayashi, T. Goto, M. Kohno, Y. Satouchi, K. Shinko, K. Suzuki, S. Suzuki, H. Tohmiya, K. Hashimoto, and M. Nakata,
“Total Synthesis of Siomycin A: Construction of Synthetic Segments”,
Chemistry Asian Journal **2008**, *3*, 984–1012.
- 106) T. Mori, S. Higashibayashi, T. Goto, M. Kohno, Y. Satouchi, K. Shinko, K. Suzuki, S. Suzuki, H. Tohmiya, K. Hashimoto, and M. Nakata,
“Total Synthesis of Siomycin A: Completion of the Total Synthesis”,
Chemistry Asian Journal **2008**, *3*, 1013–1025.
- 107) K. Tanaka, Y. Fujimori, Y. Saikawa, and M. Nakata,
“Diastereoselective Synthesis of Useful Building Blocks by Crotylation of β -Branched α -Methylaldehydes with Potassium Crotyltrifluoroborates”,
The Journal of Organic Chemistry **2008**, *73*, 6292–6298.
- 108) T. Ichige, Y. Okano, N. Kanoh, and M. Nakata,
“Total Synthesis of Methyl Sarcophytoate, a Marine Natural Biscembranoid”,
The Journal of Organic Chemistry **2009**, *74*, 230–243.
- 109) H. Okada, T. Mori, Y. Saikawa, and M. Nakata,
“Formation of α -hydroxyketones via irregular Wittig reaction”,
Tetrahedron Letters **2009**, *50*, 1276–1278.
- 110) M. Matsuura, Y. Saikawa, K. Inui, K. Nakae, M. Igarashi, K. Hashimoto, and M. Nakata,
“Identification of the toxic trigger in mushroom poisoning”,
Nature Chemical Biology **2009**, *5*, 465–467.
- 111) M. Horibe, Y. Kobayashi, H. Dohra, T. Morita, T. Murata, T. Usui, S. Nakamura-Tsuruta, M. Kamei, J. Hirabayashi, M. Matsuura, M. Yamada, Y. Saikawa, K. Hashimoto, M. Nakata, and H. Kawagishi,
“Toxic isolectins from the mushroom *Boletus venenatus*”,
Phytochemistry **2010**, *71*, 648–657.
- 112) K. Tanaka, M. Watanabe, K. Ishibashi, H. Matsuyama, Y. Saikawa, and M. Nakata,
“Total Synthesis of Kendomycin Featuring Intramolecular Dötz Benzannulation”,
Organic Letters **2010**, *12*, 1700–1703.
- 113) K. Watanabe, Y. Iwata, S. Adachi, T. Nishikawa, Y. Yoshida, S. Kameda, M. Ide, Y. Saikawa, and M. Nakata,
“Synthetic Studies on Lactonamycins: Synthesis of the Model BCDEF Aglycon”,
The Journal of Organic Chemistry **2010**, *75*, 5573–5579.
- 114) Y. Matsuda, Y. Endo, Y. Saikawa, and M. Nakata,
“Synthetic Studies on Polymaxenolides: Synthesis and Structure Elucidation of Nominal Epoxyafricanane and Other Africane-type Sesquiterpenoids”,
The Journal of Organic Chemistry **2011**, *76*, 6258–6263.
- 115) M. Yamada, N. Tokumitsu, Y. Saikawa, M. Nakata, J. Asano, K. Miyairi, T. Okuno, K. Konno, and K. Hashimoto,

- “Molybdophyllisin, a toxic matalloendopeptidase from the tropical toadstool, *Chlorophyllum molybdites*”,
Bioorganic & Medicinal Chemistry **2012**, *20*, 6583–6588.
- 116) S. Adachi, K. Watanabe, Y. Iwata, S. Kameda, Y. Miyaoka, M. Onozuka, R. Mitsui, Y. Saikawa, and M. Nakata,
“Total Syntheses of Lactonamycin and Lactonamycin Z with Late-Stage A-Ring Formation and Glycosylation”,
Angewandte Chemie International Edition **2013**, *52*, 2087–2091.
- 117) Satoshi Adachi, Masao Onozuka, Yuko Yoshida, Mitsuaki Ide, Yoko Saikawa, and Masaya Nakata,
“Smooth Isoindolinone Formation from Isopropyl Carbamates via Bischler-Napieralski-type Cyclization”,
Organic Letters **2014**, *16*, 358–361.
- 118) Yutaka Matsuda, Masaya Kato, Tomonori Kawaguchi, Takayuki Koyama, Yoko Saikawa, and Masaya Nakata,
“Synthetic Studies on Polymaxenolides: Model Studies for Constructing Dihydropyran Portion and Synthesis of Lower Portion”,
Tetrahedron **2014**, *70*, 1154–1168.
- 119) Kyosuke Tanaka, Hiroshi Matsuyama, Masahito Watanabe, Yukiko Fujimori, Kodai Ishibashi, Tomohiro Ozawa, Tomoharu Sato, Yoko Saikawa, and Masaya Nakata,
“Synthesis and Biological Evaluation of Kendomycin and Its Analogues”,
The Journal of Organic Chemistry **2014**, *79*, 9922–9947.
- 120) Kiyomi Ohba, Yuichi Koga, Sumihiro Nomura, and Masaya Nakata,
“Functionalized aryl- β -C-glycoside synthesis by Barbier-type reaction using 2,4,6-triisopropylphenyllithium”,
Tetrahedron Letters **2015**, *56*, 1007–1010.
- 121) Yutaka Matsuda, Takayuki Koyama, Masaya Kato, Tomonori Kawaguchi, Yoko Saikawa, and Masaya Nakata,
“Palladium-catalyzed 6-*endo*-dig oxycyclization–methoxycarbonylation toward the total synthesis of polymaxenolides”,
Tetrahedron **2015**, *71*, 2134–2148.
- 122) Kiyomi Ohba and Masaya Nakata,
“Total Synthesis of Paecilomycin B”,
Organic Letters **2015**, *17*, 2890–2893.
- 123) Takatoshi Matsumoto, Yoko Saikawa, Masaya Nakata, and Kimiko Hashimoto,
“Refined Structure of Hipposudoric and Norhipposudoric Acids, Pigments of the Red Sweat of the Hippopotamus”
Chemistry Letters **2015**, *44*, 1738–1740.
- 124) Masanori Matsuura, Suguru Kato, Yoko Saikawa, Masaya Nakata, and Kimiko Hashimoto,
“Identification of cyclopropylacetyl-(*R*)-carnitine, a unique chemical marker of the fatally toxic

mushroom *Russula subnigricans*"

Chemical and Pharmaceutical Bulletin **2016**, *64*, 602–608.

- 125) Taejung Kim, Kyu Hyuk Jeong, Ki Sung kang, Masaya Nakata, and Jungyeob Ham,
“An Optimized and General Synthetic Strategy To Prepare Arylnaphthalene Lactone Natural
Products from Cyanophthalides”
European Journal of Organic Chemistry **2017**, *2017*, 1704–1712.

3 総説（総合論文）

- 1) 木下光博、中田雅也、
“マクロリド抗生物質の合成とその立体制御”、
有機合成化学協会誌、1986, 44, 206–218.
- 2) 中田雅也、
“二段階連結法とマクロリド抗生物質の合成”、
有機合成化学協会誌、1989, 47, 1146–1157.
- 3) 戸嶋一敦、中田雅也、松村秀一、
“エンジン系人工DNA切断分子の設計と合成”、
有機合成化学協会誌、1996, 54, 503–513.
- 4) 戸嶋一敦、松尾剛、中田雅也、松村秀一、
“無保護糖のC-グリコシル化反応の開発と生理活性物質合成への応用”、
有機合成化学協会誌、1998, 56, 841–850.
- 5) 井出光昭、中田雅也、
“2位置換1,3-ジチアン類のアニオン化と2,3-ジ置換オキシラン類との反応”、
有機合成化学協会誌、2000年、第58巻、9号、頁857–868。
- 6) 橋本貴美子、犀川陽子、中田雅也、
“カバの赤い汗に関する化学”、
有機合成化学協会誌、2006年、第64巻、12号、頁1251–1260。
- 7) 犀川陽子、田中教介、中田雅也、
“分子内デツツ反応を用いたアンサ骨格の構築：ケンドマイシンの全合成”、
有機合成化学協会誌、2014年、第72巻、10号、頁1143–1153。

4 その他

解説

- 1) 橋本貴美子、犀川陽子、中田雅也、
「カバの赤い汗の秘密」、
どうぶつと動物園、(財)東京動物園協会 発行、2004年、第56巻、11号、頁406-409。
- 2) 橋本貴美子、犀川陽子、中田雅也、
「カバの赤い汗を追って」、
化学、(株)化学同人 発行、2005年、第60巻、2号、頁24-28。
- 3) 橋本貴美子、松浦正憲、犀川陽子、中田雅也、
「致死性毒きのこ、ニセクロハツの毒成分 -横紋筋融解をひき起こす原因物質を解明-」、
化学と生物、(社)日本農芸化学会 発行、2009年、第47巻、9号、頁600-602。
- 4) 橋本貴美子、松浦正憲、犀川陽子、中田雅也、
「きのこ毒研究 -最近の進歩-」、
きのこ研だより、(財)日本きのこ研究所 発行、2009年、32号、頁23-29。
- 5) 橋本貴美子、犀川陽子、中田雅也、
「毒きのこニセクロハツの毒成分 -致死的横紋筋融解症を引き起こす不安定な毒成分の解明-」、
ファルマシア、(社)日本薬学会 発行、2010年、第46巻、2号、頁135-139。
- 6) 橋本貴美子、松浦正憲、犀川陽子、中田雅也、
「「謎の毒キノコ」の犯人とは・・・・・? -シクロプロペンカルボン酸の特殊性-」、
化学、(株)化学同人 発行、2010年、第65巻、4号、頁12-17。

巻頭言

- 1) 中田雅也
「At a Glance 現象：知識易得、知恵難求」
有機合成化学協会誌、2012年、第70巻、2号、頁101。
- 2) 中田雅也
「はじめに」
新規素材探索研究会会報、2012年12月、第10号、頁1。
- 3) 中田雅也
「はじめに」

新規素材探索研究会会報、2013年12月、第11号、頁1。

寄稿

1) 中田雅也

「2010年を気ままに振り返れば」

新規素材探索研究会会報、2010年12月、第8号、頁2。

以上